


Material science
that shapes
the future.TM

MCMFLEXI CLADDING INDIA PVT. LTD.

Head Office: #101-103, Damji Shamji Udyog Bhavan, Veera
Desai Rd, Andheri West, Mumbai, Maharashtra - 400053

 www.mcmcladding.com  info@mcmcladding.com
 [/mcmcladdingindia](https://www.instagram.com/mcmcladdingindia)  [/mcmflexicladding](https://www.facebook.com/mcmflexicladding)
 [/mcm-cladding](https://www.linkedin.com/company/mcm-cladding)  [/MCMCladding](https://www.youtube.com/MCMCladding)





BRINGING INNOVATION OF NATURAL CLAY

About US

MCMFLEXI CLADDING India is a privately held company with its headquarters in Mumbai, INDIA along with a strong presence across the Nation with exclusive product display centers. MCMFLEXI Cladding proudly boasts of a patented revolutionary Cladding Technology offering High quality and Sustainable cladding products for both external & internal space.

MCM offers most varied collection of Natural, Durable & Aesthetically designed materials holding a wide range which encompasses MCM STONE, MCM WOOD & MCM BRICK. Best suited for External cladding, Interiors; Comprising of ceiling, flooring & furniture covering and also for grand landscaping. MCM Products are suitable for your complete architectural needs.

The product offering is thoughtfully invented keeping in mind today's need for light-weight and fast-track construction needs as these materials are easy to install and bring natural textures to all kinds of Building structures.

We at MCM India are committed to care for our planet thereby creating a better life and a better world to live in.

UNBELIEVABLY

S

L



○ — ≈ 2mm

M

Pioneer Into Facade Solutions

Sustainable design and green construction practises are fundamental to facades. In addition to giving buildings their distinctive appearance, facades are becoming more and more subject to strict technical requirements and energy sustainability tests. Several of the most well-known "green" high-rise developers in the world, are considering using safe, sustainable & environment friendly materials to encapsulate their structures.

A building's performance can be greatly improved by making the correct material choice. MCM Unfired clay is the best kind of building material for use in external cladding applications because of its durability, performance, safety, ease of maintenance and adaptability in terms of design. MCM facade systems provides significant benefit due to high thermal & fire insulation properties, apart from being resistant to extreme weather conditions.

Over the past few years, MCM Unfired Clay Cladding has established a new standard for the external cladding market in India, by providing a variety of finishes that satisfy all design aspirations. MCM's unfired clay facade solutions intrigue architects and developers from all across the country with its exceptional combination of ethereal aesthetics and practical advantages.

Unique Functionality of PHOMI MCM

- Self- Cleaning Function
- Air Purification / Pollution Resistant Function
- Bacteria Inhibition and Sterilization Functions

Why MCM PHOMI econiclay claddings?



Authentic modified clay, from nature. Without resin, no toxic ingredients, Healthy.



Inorganic material without resin, 50-year weather resistance, anti-fading. Applied for 18 years under various extreme climates, with over 60 million m² of application cases in 120+ countries/regions.



A-class fireproof, mold and bacteria-resistant. (optional)



Versatile applications: salt spray resistant, freeze-thaw resistant, breathable, lightweight, and easy to install; suitable for irregular shapes, ceilings, bathrooms, and more.



Shape It Your Way,
Limitless Possibilities

eCoverings reduce compared to tiles **↓95.4%** CO₂e

eCoverings reduce compared to stones **↓98.63%** CO₂e

Certification:



US Patent No. 8,505,840 B2



European Patent No. 2157139



2013 112th Paris Concours Lépine International Award



Awarded for China 7th International Exhibition Inventions



PHOMI MCM 024-013-2219 "Eco-Friendly Building Material"



No: IN-XM-CP-5612-14052



The use of the Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 046




REGISTERED QA INTERNATIONAL ISO 14001 EMS QAIC/CN/135 159-C

An aerial photograph of a large-scale quarry operation. The landscape is dominated by terraced, stepped levels of grey rock, with numerous winding dirt roads and paths crisscrossing the site. The quarry is set against a backdrop of dark, forested mountains. The overall scene conveys a sense of massive industrial scale integrated into a rugged natural environment.

**Zero Carbon,
Infinite Design.**

Stone Series



MCM Travertine Stone

Standard Size (mm) : 1200 x 600
Custom Size (mm) : 2400 x 1200*

Travertine Gold



Travertine Cloud White



Travertine Grey



Travertine Yellow



Travertine Gold



Travertine Red



Travertine 052KZ*

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



MCM Travertine Stone

Standard Size (mm) : 1200 x 600
Custom Size (mm) : 2400 x 1200*

Coral Travertine Stratus Light Grey



Greece Travertine
Anna White

Greece Travertine
Anna Light Grey

Coral Travertine
Stellar White

Coral Travertine
Stellar Yellow





Greece Travertine
Kamu Yellow

Greece Travertine
Kamu Red

Coral Travertine
Cloud Yellow

Coral Travertine
Stratus Dark Grey

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



MCM Slate Stone

Standard Size (mm) : 1200 x 600
Custom Size (mm) : 2400 x 1200*

Slate Sunny



Slate Sunny



Slate Reddish Brown




Slate Phantom



Slate Art





Slate H001



Slate H06

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



MCM Slate Stone

Standard Size (mm) : 1200 x 600
Custom Size (mm) : 2400 x 1200*

Slate Vejl Dark Grey



Slate H 01 02 03



Slate Veil Dark Grey



Slate Veil Yellow



Slate Castol Yellow




Slate Portoro



Slate Castol Blue

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.




MCM Oasis Stone

Standard Size (mm) : 1200 x 600
Custom Size (mm) : 2400 x 1200*

Oasis Stone Rain



Oasis Stone Fog



Oasis 221




Oasis Stone Wind



Oasis Stone Rain

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



MCM Granite Stone

Standard Size (mm) : 1200 x 600
Custom Size (mm) : 2400 x 1200*

H04-05-06



Concrete Medium Grey



H04-05-06



H001



308



Roman Yellow



Roman Grey



Roman Red




Rock Brown



Granite Portoro*


Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



MCM Granite Stone - Rough

Standard Size (mm) : 1200 x 600
Custom Size (mm) : 2400 x 1200*

Granite Multi Color Red



MCM Granite Stone - Flat

Standard Size (mm) : 1200 x 600
Custom Size (mm) : 2400 x 1200*

Granite Multi Color Red

Multiple Colours Across Rough & Flat Finishes



Granite Multi Color Red



Granite Multi Color Yellow*



Granite Multi Color Blue*



Granite Flat Beauty



Granite Flat Pency

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



MCM Metallic Stone

Standard Size (mm) : 1200 x 600
Custom Size (mm) : 2400 x 1200*

Nuée Ardente



Nuée Ardente

Fawn Grey

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.




MCM Sandstone / Limestone

Standard Size (mm) : 1200 x 600
Custom Size (mm) : 2400 x 1200*


Warm Grey



Sandstone Cloud



Limestone Warm Grey





Limestone Dark Grey



Sandstone Orange

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



MCM Rammed Earth Wall

Product Size (mm) : 1200 x 600 / 2400 x 1200

Rammed Earth Wall Egyptian Yellow



Rammed Earth White



Rammed Earth Wall Red



Rammed Earth Wall Egyptian Yellow



Rammed Earth Wall Yellow Grey



Rammed Earth Wall Light Grey




Rammed Earth Wall Medium Grey*




Rammed Earth Wall Brownish Red*

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.




MCM Concrete Pouring Slab

Product Size (mm) : 2800 x 600



MCM Spliced Wood

Product Size (mm) : 2800 x 600



MCM Cutstone

Standard Size (mm) : 1200 x 600

Custom Size (mm) : 2400 x 1200*

H001



H001

221

R04

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



MCM Infiniti


Standard Size (mm) : 1200 x 600

Custom Size (mm) : 2400 x 1200*

Infiniti HG03



H001



H06



058*



031*

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



MCM 35 Piece* Stone

Product Size (mm) : 1200 x 600

35 Piece Stone Tunguska Yellow



315*



206*



058*

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



MCM Linear Stone

Product Size (mm) : 1200 x 600

Beige



White



Beige



Grey

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.




MCM Stripe Stone

Standard Size (mm) : 1350 x 600

Custom Size (mm) : 2700 x 600*

Grey



White

Grey

H06

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



MCM Rockface Stone

Product Size (mm) : 1200 x 600

H001



MCM Crossard Mushroom Stone

Product Size (mm) : 800 x 800

221




H001



H06



221



043*



052*


Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



**Showcasing a diverse
collection of brick textures,
Exploring the rich history and
evolution of brick architecture.**

Brick Series



MCM A Series Facing Brick

Product Size (mm) : 240 x 60

087089



308317



087089



054058






221228231



090C8

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



MCM K Series Facing Brick

Product Size (mm) : 225 x 60

326C4




052



326C4




228030




090308

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.




MCM R Series Facing Brick

Product Size (mm) : 222 x 63



087089




308317



052

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.




MCM G Series Facing Brick

Product Size (mm) : 230 x 59



031043



043*

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.



**Reducing Deforestation,
Saving Earth's Ozone Layer**

Wood Series



MCM Original* Wood

Standard Size (mm) : 1350 x 300

Custom Size (mm) : 2700 x 300*

Original Wood Yoly



Original Wood Caesious



Original Wood Dark Brown



Original Wood Rhine



Original Wood Suez



Original Wood Volga

Note: Colour variation and gradation in every batch is a natural feature and part of our manufacturing process. These variations add to the overall character of MCM. *Available only against special order with sufficient lead time and MOQ. Images are for representation purpose only. Actual product shades may vary.

Installation Process


Step 1 - Surface Preparation

Wash surface areas, and allow to dry. Remove any debris, raised or uneven surfaces.





Step 2 - Adhesives or Glues

Various MCM adhesives are available for sustainable performance. Use the suitable adhesive as per the substrate.




Step 3 - Cutting & Installation Steps

Marking: Use a lead pencil to mark cut line.
Cutting: Tile cutter to cut along line.




Install MCM Panel vertically or horizontally according to your choice.

Step 4 - Grouting Steps



Feed grout into the joint. You may also use a masking tape along the periphery of the tile to secure the edges from the grout, if needed.



Smooth metal rod

Step 5 - Cleaning Steps



Use a scraper or a dry sponge to wipe off excess grout while half wet.

Installation Instruction

- MCM products can be applied using suitable MCM Adhesive. It is advised to refer MCM Adhesive Chart or contact company representative for the same.
- Where grouting is needed it is suggested to use "Filling and Pointing" method to do the grout finishing.

Product Quality

- PHOMI's manufacturing process has been designed to imitate the random beauty and nature of real stone. As such, stone surface may contain small air holes or surface anomalies. These differences add to the overall character of the stone and should not be considered to be a manufacturing defect. Every piece of MCM product inherently lacks uniformity and is subject to variation in aesthetics, color, finish, thickness, density etc.
- It is normal if products contain few Residual mesh fringed which does not affect installation
- It is normal if product size has small variation on diagonal (less 2 mm)
- It is normal that there is some shade variation in production within the same production batch or across different production batches. These variation add to the overall character of the stone.

Note:

We recommend to apply protective coatings on MCM panels when installed in high traffic areas or floorings. This protective coating should be applied on MCM panels before installation with roller brush. Also, the MCM surface should be dry and free from dust.

MCM ADHESIVE



MCM ADHESIVE 2C

MCM Adhesive 2C is a two component, high strength adhesive suitable for both exterior and interior applications on cementitious substrate.

Pack Size: 25 kg Part A + 5 ltr Part B Can

MCM FLEX

MCM Flex is a Single component, Ready to use, Modified Polyurethane Adhesive formulated for fixing MCM & ITTIMI range of products specially for Exterior & Interior cladding on multiple substrate.

Pack Size: Available in 20 kg - 12 kg - 5 kg



